

Maserati BCM (Boost Control Module) Install Guide

Last updated 8/22/2024

Use subject to terms and conditions posted at <https://burgertuning.com/pages/terms>

THIS PART IS LEGAL FOR USE ONLY IN COMPETITION RACING VEHICLES AS DEFINED UNDER CALIFORNIA LAW AND IS NOT LEGAL FOR USE IN ANY OTHER MOTOR VEHICLE. California law defines a "racing vehicle" as "a competition vehicle not used on public highways." (Calif. Health & Safety Code 39048) This part may only be used on competition racing vehicles operated exclusively on a closed course in conjunction with a sanctioned racing event. Competition-only motor vehicles may not be driven to a racing event on a public highway and must be transported on a trailer or other carrier. USE OF THIS PART IN ANY OTHER VEHICLE MAY SUBJECT YOU TO FINES AND PENALTIES FOR VIOLATION OF FEDERAL AND/OR STATE LAW, WILL VOID YOUR WARRANTY FROM BURGER MOTORSPORTS, INC, AND CAN VOID YOUR VEHICLE'S WARRANTY. It is your responsibility to comply with all applicable federal and state laws relating to the use of this part, and Burger Motorsports, INC hereby disclaims any liability resulting from the failure to use this part in compliance with all applicable federal and state laws.



The blue wire with the pin will go to the JB4 harness on the DB25 side and will go to pin 1. If pin 1 is populated, cut the wire then cut the pin off the blue wire and connect them together via butt splice or soldering.

Connect the black wire with the fork to a good ground location, either the chassis or somewhere on the engine itself.

The connectors will connect to the solenoid, which is in the middle of the engine under the cover. Once connected, update Maserati firmware. Connect to the JB4 via Bluetooth and go to the user adjustment settings. Under duty bias please copy these values in the picture. Scroll down to FF and set that to 100, then click save.



DUTY
BIAS

15
20
25
30
35
40
45
50
50
50
50
50

Email a log on map 1 to support@burgertuning.com with your mod list for evaluation to ensure it's working properly.